

Tracking Detector R&D at Cornell University and Purdue University

Cornell University

D. P Peterson,
R. S. Galik,

Purdue University

J. Miyamoto,
I. P. J. Shipsey,

We have requested funding for this research
from NSF through UCLC.

Information available at the web site:

http://w4.cornell.edu/~dpp/tpc_test_lab_info.html

(which is the parent site of this presentation)

including

- * presentation to University Consortium for the Linear Collider at Santa Cruz 30-June-2002,
- * project description from the NSF proposal, 29-August-2002

(The project description can also be found at the UCLC site:

<http://w4.cornell.edu/public/LC/UCLC/projects.html>)

Detector Development, Cornell/Purdue Program

Systematic study **spatial resolution** and **signal width** using **GEM/MicroMegas TPC readout** devices

amplification device,
details of spacings and gain,
pad size and shape
gas
applied signal spreading

Signal spreading must be optimized for segmentation and resolution.

Spatial resolution and signal width studies using **traditional anode-wire-amplification read-out** devices

Investigate a readout using smaller wire spacing to reduce the **ExB** effects.

Ion Feedback measurements

Instrument the high voltage plane, or an intermediate grid.



Tracking studies in a **high radiation environment**

Studies of signal distortion and electric-field break-down.


Tracking studies in a **magnetic field**

Cornell has the expertise and utilities to build and operate a superconducting test magnet.

what Cornell can offer



Experience with ...
Large drift chambers for CLEO




Test chambers






Manufacturing

Small drift chambers



Innovative construction

calibration



what Purdue can offer

Years of experience with MPGDs,
preparation and radiation hardness measurements

Micro Pattern Detector Aging (Radiation Hardness)

Example: triple GEM with PCB readout

Gas Ar/CO₂ 70/30 (99.99%)

GEM1= 400 V

GEM2= 390 V

GEM3 =380 V

PCB as e⁻ collector

Cr X-rays (5.4 KeV)

@ 6 x 10⁴ Hz/mm² for 750hrs

Gas gain 6,000

Detector performance

small (~15% gain loss) after


~ 8 years @LHC 10 cm from IP.

Minimal signs of aging.

Best result obtained with a GEM.

Similar result obtained with

a MicroMEGAS + GEM



Stolen from I. Shipsey, NIM A 478 (2002) 263

TPC Test Chamber R&D at Cornell University and Purdue University Three Year Plan

	Plan	Purchases	
(at Cornell)	1 st Year	track definition scintillator trigger small drift chambers test device, TPC power supplies data acquisition	VME crate Computer and LabView controller discriminators for drift chambers TDCs for drift chambers FADCs for TPC (limited) power supply frame power supplies electronics boards \$ 52,000 equipment
	2 nd Year	expanded TPC superconducting magnet	expanded DAQ \$ 121,000 equipment
	3 rd Year	expanded TPC superconducting magnet	expanded DAQ \$ 74,000 equipment
(at Purdue)	1 st Year	MPGD readout modules	printed circuit pad readout planes GEMs, MicroMegas \$ 10,000 equipment \$ 16,000 student support
	2 nd Year	advances in MPGD readout modules	\$ 10,000 equipment \$ 16,000 student support
	3 rd Year	advances in MPGD readout modules	\$ 10,000 equipment \$ 16,000 student support

Short Term Activities

Cornell:

Purchases of electronics,
set-up and testing of electronics,

are delayed until we receive UCLC funding from NFS.

(That will be late spring 2003 under the absolute best conditions.)

construction of a first TPC device

construction of telescope drift chambers and trigger scintillators

We can start when technical staff and machine shop staff are available,
at the completion of the CESR-Wiggler/CLEO-inner-chamber installation,
~ June 2003 .

Purdue:

may be ready to construct a readout module